

Aluminium underwater floodlight

oe11-130



- 250W halogen floodlight
- Variable output
- 100° beam coverage

Kongsberg Maritime's range of underwater lamps has been designed to address the specific requirements of underwater video inspection and observation tasks.

The OE11-130 lamp is fitted with a high efficiency quartz halogen bulb, giving a broad light spectrum ideally suited for both colour and monochrome camera applications. The light output of the OE11-130 is fully variable to match ambient water and lighting conditions.

The OE11-130 is a general purpose aluminium floodlight with a wide, even beam coverage of 100°, which is ideal for the demanding requirements of underwater video tasks.

Standard Features

Electrical

Lighting	Screw-in, high efficiency Quartz Halogen Bulb, Fully Variable Output
Luminous Output	5000 lm
Illuminance @ 1 metre	1300 Lux
Colour Temperature	3200K
Colour Quality (CRI)	100
Power	115V / 250 Watt, other options available
Beam Angle	Greater than 100°, Standard Bulb

Environmental

Depth Rating	3,000 metres standard, deeper ratings available
Temperature	Operating -5°C to +40°C Storage -20°C to +60°C

Mechanical

Diameter	152mm maximum
Length	126mm (excl. connector)
Weight	0.75Kg in Air, 0.2Kg in Water
Body	6082-T6 Marine Grade Aluminium
External Finish	Hard Anodised, Black Dyed
Reflector	Impact resistant, injection moulded polypropylene (resistant to marine fouling and corrosion)
Connector	EO59F2M type, Underwater Mateable, Other Connector options available



KONGSBERG

tel: +44 (0)1224 226500
fax: +44 (0)1224 226501
email: km.camsales.uk@kongsberg.com
web: www.km.kongsberg.com/cameras